

ELSEVIER

Mechanisms of Development 95 (2000) 329-330



Volume contents

Volume 95 (2000)

R. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) N.B. Randsholt, F. Maschat, P. Santamaria (France) M. Scuris, D. Perissinotto (Italy) M.A. Schwarz, F. Zhang, S. Gebb, V. Starnes, D. Warburton (USA) Endothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morphogenesis Inhothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morphogenesis M.A. Schwarz, F. Zhang, S. Gebb, V. Starnes, D. Warburton (USA) Endothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morphogenesis Inhothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morphogenesis Inhothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morphogenesis Inhothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morphogenesis Inhothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morphogenesis Inhothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morphogenesis C.D. Kaufman, G. Martínez-Rodriguez, P.B. Hackett Jr. (USA) Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted	Issue Contents	1	Q. Zhang, X. Lu (USA) semang affects the development of a subset of cells in the	
Role of the extracellular matrix during neural crest cell migration 3	Review article		Drosophila compound eye	113
D. Warburton (USA) Endothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morpho- genesis D. Warburton (USA) Endothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morpho- genesis 123 J. Beckers, A. Caron, M. Hrabé de Angelis, S. Hans, I.A. Campos-Ortega, A. Gossler (USA, Germany) Distinct regulatory elements direct Deltal expression in the nervous system and paraxial mesoderm of transgenic mice 23 J. Beckers, N. Schlautmann, A. Gossler (USA) The mouse rib-vertebrae mutation disrupts anterior- posterior somite patterning and genetically interacts with a Delta1 null allele 23 K. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) N.B. Randsholt, F. Maschat, P. Santamaria (France) M. Nguyen, L. Parker, K. Arora (USA)	R. Perris, D. Perissinotto (Italy)			
migration 3 D. Warburton (USA) Endothelial Monocyte Activating Polypeptide II inhibits lung neovascularization and airway epithelial morphogenesis 123 124 125 126 127 128 128 129 129 129 120 120 120 121 121	Role of the extracellular matrix during neural crest cell			
Driginal articles J. Beckers, A. Caron, M. Hrabé de Angelis, S. Hans, J.A. Campos-Ortega, A. Gossler (USA), Germany) Distinct regulatory elements direct Deltal expression in the nervous system and paraxial mesoderm of transgenic mice J. Beckers, N. Schlautmann, A. Gossler (USA) The mouse rib-vertebrae mutation disrupts anterior-posterior somite patterning and genetically interacts with a Deltal null allele R. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) N.B. Randsholt, F. Maschat, P. Santamaria (France) N.B. Randsholt, F. Maschat, P. Santamaria (France) Izanaka, I. Naruse, T. Hongo, MJ. Xu, T. Nakahata, T. Maekawa, S. Ishii (Japan) Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 133 C.D. Kaufman, G. Martínez-Rodriguez, P.B. Hackett Jr. (USA) A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 147 A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Ectopic expression of teski disrupts gastrulation and neural patterning in zebrafish 148 A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Ectopic expression of teski disrupts gastrulation and neural patterning in zebrafish 149 A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Ectopic expression of teski disrupts and neural patterning in zebrafish 140 A. Schneider, T. Brand, R. Zweigerdt, MH. Arnold (Germ		3		
1. Beckers, A. Caron, M. Hrabé de Angelis, S. Hans, I.A. Campos-Ortega, A. Gossler (USA, Germany) Distinct regulatory elements direct Deltal expression in the nervous system and paraxial mesoderm of transgenic mice 23 J. Beckers, N. Schlautmann, A. Gossler (USA) The mouse rib-vertebrae mutation disrupts anterior-posterior somite patterning and genetically interacts with a Delta1 null allele 23 K. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) N.B. Randsholt, F. Maschat, P. Santamaria (France) N.B. Randsholt, F. Maschat, P. Santamaria (France) 123 Y. Tanaka, I. Naruse, T. Hongo, MJ. Xu, T. Nakahata, T. Maekawa, S. Ishii (Japan) Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 133 Y. Tanaka, I. Naruse, T. Hongo, MJ. Xu, T. Nakahata, T. Maekawa, S. Ishii (Japan) Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 134 C.D. Kaufman, G. Martínez-Rodriguez, P.B. Hackett Jr. (USA) Ectopic expression of c-ski disrupts gastrulation and neural patterning in zebrafish 4. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 8. W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation 175 175 189 189 189 189 189 189 189 18				
1. Beckers, A. Caron, M. Hrabé de Angelis, S. Hans, I.A. Campos-Ortega, A. Gossler (USA, Germany) Distinct regulatory elements direct Deltal expression in the nervous system and paraxial mesoderm of transgenic mice 23 J. Beckers, N. Schlautmann, A. Gossler (USA) The mouse rib-vertebrae mutation disrupts anterior-posterior somite patterning and genetically interacts with a Delta1 null allele 23 K. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) N.B. Randsholt, F. Maschat, P. Santamaria (France) N.B. Randsholt, F. Maschat, P. Santamaria (France) 123 Y. Tanaka, I. Naruse, T. Hongo, MJ. Xu, T. Nakahata, T. Maekawa, S. Ishii (Japan) Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 133 Y. Tanaka, I. Naruse, T. Hongo, MJ. Xu, T. Nakahata, T. Maekawa, S. Ishii (Japan) Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 134 C.D. Kaufman, G. Martínez-Rodriguez, P.B. Hackett Jr. (USA) Ectopic expression of c-ski disrupts gastrulation and neural patterning in zebrafish 4. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 8. W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation 175 175 189 189 189 189 189 189 189 18	Original articles		lung neovascularization and airway epithelial morpho-	
Distinct regulatory elements direct Deltal expression in the nervous system and paraxial mesoderm of transgenic mice 23 I. Beckers, N. Schlautmann, A. Gossler (USA) The mouse rib-vertebrae mutation disrupts anterior-posterior somite patterning and genetically interacts with a Deltal null allele 23 K. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) N.B. Randsholt, F. Maschat, P. Santamaria (France)				123
Distinct regulatory elements direct Delta1 expression in the nervous system and paraxial mesoderm of transgenic mice 23 I. Beckers, N. Schlautmann, A. Gossler (USA) The mouse rib-vertebrae mutation disrupts anterior-posterior somite patterning and genetically interacts with a Delta1 null allele 24 R. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) N.R. Randsholt, F. Maschat, P. Santamaria (France) T. Maekawa, S. Ishii (Japan) Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 133 C.D. Kaufman, G. Martínez-Rodriguez, P.B. Hackett Jr. (USA) Ectopic expression of c-ski disrupts gastrulation and neural patterning in zebrafish 147 A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation 175 JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)				
T. Maekawa, S. Ishii (Japan) Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 133 L. Beckers, N. Schlautmann, A. Gossler (USA) The mouse rib-vertebrae mutation disrupts anterior-posterior somite patterning and genetically interacts with a Delta1 null allele 248 R. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.R. Randsholt, F. Maschat, P. Santamaria (France) T. Maekawa, S. Ishii (Japan) Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 133 T. Maekawa, S. Ishii (Japan) Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 134 C.D. Kaufman, G. Martínez-Rodriguez, P.B. Hackett Jr. (USA) A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)			V. Tanaka, I. Naruse, T. Hongo, MI. Xu, T. Nakahata.	
Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 133 Beckers, N. Schlautmann, A. Gossler (USA) The mouse rib-vertebrae mutation disrupts anterior-posterior somite patterning and genetically interacts with a Deltal null allele 35 R. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis 47 H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo 55 T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development 40 M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) 57 The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia 58 N.B. Randsholt, F. Maschat, P. Santamaria (France) 58 Extensive brain hemorrhage and embryonic lethality in a mouse null mutant of CREB-binding protein 513 C.D. Kaufman, G. Martínez-Rodriguez, P.B. Hackett Jr. (USA) 55 Ectopic expression of c-ski disrupts gastrulation and neural patterning in zebrafish 147 A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) 57 Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 163 R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) 55 Ectopic sorsidistricted in melanocytes and glia 57 JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) 57 Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development 57 Gene expression patterns 58 M. Nguyen, L. Parker, K. Arora (USA)				
mouse null mutant of CREB-binding protein 133 134 135 136 136 137 138 138 138 138 139 139 130 130 130 130 131 131				
The mouse rib-vertebrae mutation disrupts anterior- posterior somite patterning and genetically interacts with a Deltal null allele R. Klapper (Germany) The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.R. Randsholt, F. Maschat, P. Santamaria (France) The Maschat, P. Santamaria (France) T. Randsholt, F. Maschat, P. Santamaria (France) T. Randsholt, F. Maschat, P. Santamaria (France)	mice	23		122
The mouse rib-vertebrae mutation disrupts anterior-posterior somite patterning and genetically interacts with a <i>Delta1</i> null allele 8. Klapper (Germany) The longitudinal visceral musculature of <i>Drosophila melanogaster</i> persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in <i>Caenorhabditis elegans</i> development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholf, F. Maschaf, P. Santamaria (France) T. Rayon of the Nkx3. I gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation 175 JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Some expression patterns M. Nguyen, L. Parker, K. Arora (USA)			mouse null mutant of CREB-binding protein	133
The longitudinal visceral musculature of Drosophila melanogaster persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholf, F. Maschaf, P. Santamaria (France) (USA) Ectopic expression of c-ski disrupts gastrulation and neural patterning in zebrafish 147 A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 163 R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation 175 JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Some expression patterns M. Nguyen, L. Parker, K. Arora (USA)	J. Beckers, N. Schlautmann, A. Gossler (USA)			
with a <i>Delta1</i> null allele 35 Ectopic expression of c-ski disrupts gastrulation and neural patterning in zebrafish 147 R. Klapper (Germany) The longitudinal visceral musculature of <i>Drosophila melanogaster</i> persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in <i>Caenorhabditis elegans</i> development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) 35 Ectopic expression of c-ski disrupts gastrulation and neural patterning in zebrafish 147 A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 163 R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic expression of c-ski disrupts gastrulation and neural patterning in zebrafish 147 A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 163 R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation 175 JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development 189 Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)	The mouse rib-vertebrae mutation disrupts anterior-			
Ectopic expression of c-ski disrupts gastrulation and neural patterning in zebrafish 147 R. Klapper (Germany) The longitudinal visceral musculature of <i>Drosophila melanogaster</i> persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in <i>Caenorhabditis elegans</i> development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) Solution of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 163 R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation 175 JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development 189 Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)				
neural patterning in zebrafish 147 R. Klapper (Germany) The longitudinal visceral musculature of <i>Drosophila melanogaster</i> persists through metamorphosis 47 H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in <i>Caenorhabditis elegans</i> development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschaf, P. Santamaria (France) N.B. Randsholt, F. Maschaf, P. Santamaria (France)		35	Ectopic expression of c-ski disrupts gastrulation and	
The longitudinal visceral musculature of <i>Drosophila melanogaster</i> persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in <i>Caenorhabditis elegans</i> development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholf, F. Maschaf, P. Santamaria (France) A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 163 R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)	William School Hall Miles		neural patterning in zebrafish	147
The longitudinal visceral musculature of <i>Drosophila melanogaster</i> persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in <i>Caenorhabditis elegans</i> development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholf, F. Maschaf, P. Santamaria (France) A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 163 R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)	D Klapper (Cormany)			
melanogaster persists through metamorphosis H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) (Germany) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)			A. Schneider, T. Brand, R. Zweigerdt, HH. Arnold	
Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate 163 R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation 175 I. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) Targeted disruption of the Nkx3.1 gene in mice results in morphogenetic defects of minor salivary glands: parallels to glandular duct morphogenesis in prostate R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)		477	(Germany)	
H. Ohuchi, S. Kimura, M. Watamoto, N. Itoh (Japan) Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia To developmental potentials of the caudalmost part of the caudal	metanogaster persists through metamorphosis	4/		
Involvement of fibroblast growth factor (FGF)18-FGF8 signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) Involvement of fibroblast growth factor (FGF)18-FGF8 lels to glandular duct morphogenesis in prostate R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)				
signaling in specification of left-right asymmetry and brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) To R.W. Köster, R.P. Kühnlein, J. Wittbrodt (Germany) Ectopic Sox3 activity elicits sensory placode formation JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)				163
brain and limb development of the chick embryo T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) To Kawano, M. Fujita, H. Sakamoto (Japan) Lorique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development To Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)			icis to giandulai duct morphogenesis in prostate	102
Ectopic Sox3 activity elicits sensory placode formation T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) Ectopic Sox3 activity elicits sensory placode formation JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)	signaling in specification of left-right asymmetry and		D.W. Viston D.D. Vilhalain, I. Witthandt (Common)	
T. Kawano, M. Fujita, H. Sakamoto (Japan) Unique and redundant functions of SR proteins, a conserved family of splicing factors, in <i>Caenorhabditis elegans</i> development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)	brain and limb development of the chick embryo	55		175
Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) JG. Liu, M.J. Tabata, T. Fujii, T. Ohmori, M. Abe, Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development 189 Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)			Ectopic Sox3 activity elicits sensory placode formation	175
v. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) V. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)	T. Kawano, M. Fujita, H. Sakamoto (Japan)			
conserved family of splicing factors, in Caenorhabditis elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development 189 Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)	Unique and redundant functions of SR proteins, a			
elegans development M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) (Japan) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development 189 Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)			Y. Ohsaki, J. Kato, S. Wakisaka, M. Iwamoto, K. Kurisu	
M. Catala, C. Ziller, F. Lapointe, N.M. Le Douarin (France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randshoft, F. Maschaf, P. Santamaria (France) Parathyroid hormone-related peptide is involved in protection against invasion of tooth germs by bone via promoting the differentiation of osteoclasts during tooth development 189 Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)		67	(Japan)	
(France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randsholt, F. Maschat, P. Santamaria (France) N.B. Randsholt, F. Maschat, P. Santamaria (France) N.B. Randsholt, F. Maschat, P. Santamaria (France)	creguns development	07	Parathyroid hormone-related peptide is involved in	
(France) The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia N.B. Randshoft, F. Maschaf, P. Santamaria (France) promoting the differentiation of osteoclasts during tooth development 189 Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)	M Catala C Zillar F Lancinto N.M. La Douarin		protection against invasion of tooth germs by bone via	
The developmental potentials of the caudalmost part of the neural crest are restricted to melanocytes and glia 77 Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)			promoting the differentiation of osteoclasts during tooth	
the neural crest are restricted to melanocytes and glia 77 Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)				189
Gene expression patterns M. Nguyen, L. Parker, K. Arora (USA)				
N.B. Randsholt, F. Maschat, P. Santamaria (France) M. Nguyen, L. Parker, K. Arora (USA)	the neural crest are restricted to melanocytes and glia	77	Cons approxima nattarns	
			Identification of <i>maverick</i> , a novel member of the TGF-B	
polynomeour controls engranga expression and the	polyhomeotic controls engrailed expression and the		The state of the s	201
hedgehog signaling pathway in imaginal discs 89 superfamily in Drosophila 201	hedgehog signaling pathway in imaginal discs	89	supertainity in <i>Drosophua</i>	201
P. Kondaiah, M. Taira, U.D. Vempati, I.B. Dawid			P. Kondajah, M. Tajra, U.D. Vemnati, I.B. Dawid	
I. Munoz-Sanjuan, J.F. Fanon, J. Nathans (USA)	I. Muñoz-Sanjuán, J.F. Fallon, J. Nathans (USA)			
Expression and regulation of chicken horoidat growth				
development of Venerus laguis				207
developing limbs 101 development of Xenopus taevis 207	developing limbs	101	development of Actiopus thevis	201

D.J. Henderson, P. Ybot-Gonzalez, A.J. Copp (UK)		A.K. Braat, S. van de Water, H. Goos, J. Bogerd,	
RhoB is expressed in migrating neural crest and endo- cardial cushions of the developing mouse embryo	211	D. Zivkovic (The Netherlands) Vasa protein expression and localization in the zebrafish	271
F. Lyko, A.J. Whittaker, T.L. Orr-Weaver, R. Jaenisch (USA)		L. Pissarra, D. Henrique, A. Duarte (Portugal) Expression of hes6, a new member of the Hairy/Enhan-	
The putative <i>Drosophila</i> methyltransferase gene <i>dDnmt2</i> is contained in a transposon-like element and is		cer-of-split family, in mouse development	275
expressed specifically in ovaries	215	S.A. Vokes, P.A. Krieg (USA) Gdf16, a novel member of the growth/differentiation	
H.C. Schröder, M. Kruse, R. Batel, I.M. Müller,W.E.G. Müller (Germany, Croatia)Cloning and expression of the sponge longevity gene		factor subgroup of the $TGF-\beta$ superfamily, is expressed in the hindbrain and epibranchial placodes	279
SDLAGL	219	H. Li, E. Wagner, P. McCaffery, D. Smith, A. Andreadis, U.C. Dräger (USA)	
S. Fraboulet, T. Schmidt-Petri, D. Dhouailly,		A retinoic acid synthesizing enzyme in ventral retina and	283
O. Pourquié (France) Expression of DM-GRASP/BEN in the developing		telencephalon of the embryonic mouse	283
mouse spinal cord and various epithelia	221	H. MacArthur, D.W. Houston, M. Bubunenko, L. Mosquera, M.L. King (USA)	
M. Hidalgo-Sánchez, RM. Alvarado-Mallart, I.S. Alvarez (France, Spain)		DEADSouth is a germ plasm specific DEAD-box RNA helicase in Xenopus related to eIF4A	291
Pax2, Otx2, Gbx2 and Fgf8 expression in early otic vesicle development	225	D.T. Kuhn, J.M. Chaverri, D.A. Persaud, A. Madjidi	
S. Angelo, J. Lohr, K.H. Lee, B.S. Ticho, R.E. Breitbart,		(USA) Pair-rule genes cooperate to activate <i>en</i> stripe 15 and	
S. Hill, H.J. Yost, D. Srivastava (USA) Conservation of sequence and expression of Xenopus and zebrafish dHAND during cardiac, branchial arch		refine its margins during germ band elongation in the D. melanogaster embryo	297
and lateral mesoderm development	231	R. Bettencourt, Y. Assefaw-Redda, I. Faye (Sweden) The insect immune protein hemolin is expressed during	
O. Crociani, A. Cherubini, E. Piccini, S. Polvani, L. Costa, L. Fontana, G. Hofmann, B. Rosati, E. Wanke,		oogenesis and embryogenesis	301
M. Olivotto, A. Arcangeli (Italy) erg gene(s) expression during development of the		J.E. Andrews, M.J. O'Neill, M. Binder, T. Shioda, A.H. Sinclair (UK, USA, Australia)	
nervous and muscular system of quail embryos	239	Isolation and expression of a novel member of the CITED family	305
J. Wischnewski, M. Sölter, Y. Chen, T. Hollemann, T. Pieler (Germany)			
Structure and expression of <i>Xenopus</i> karyopherin-β3:		N. Offenhäuser, E. Santolini, A. Simeone, P.P. Di Fiore	
definition of a novel synexpression group related to ribo- some biogenesis	245	(Italy, UK) Differential patterns of expression of Eps15 and Eps15R during mouse embryogenesis	309
S. Marracci, C. Rossi, I. Nardi (Italy)			
Identification of different forms of calpastatin mRNA co- expressed in the notochord of <i>Xenopus laevis</i> embryos	249	E. Thiery, P. Gosset, D. Damotte, AL. Delezoide, N. de Saint-Sauveur, C. Vayssettes, N. Créau (France)	
Dg. Ahn, I. Ruvinsky, A.C. Oates, L.M. Silver, R.K. Ho (USA)		Developmentally regulated expression of the murine ortholog of the potassium channel KIR4.2 (KCNJ15)	313
tbx20, a new vertebrate T-box gene expressed in the cranial motor neurons and developing cardiovascular		Author Index	317
structures in zebrafish	253	Subject Index	321
PH. Chu, P. Ruiz-Lozano, Q. Zhou, C. Cai, J. Chen (USA) Expression patterns of FHL/SLIM family members		Volume Contents	329
suggest important functional roles in skeletal muscle and cardiovascular system	259	Announcement	331
K.B. Rohr, M.L. Concha (UK)		Instructions to Authors	333
Expression of <i>nk2.1a</i> during early development of the thyroid gland in zebrafish	267	Contents continued	335

